



Swirl Diffuser Type ADSW



AIR IN MOTION


Adjustable Blade Swirl Diffuser suitable for ceiling mounting and can be manufactured to suit most ceiling tile arrangements.

The Adjustable Blade Swirl Diffuser offers excellent induction of room air and the rapid decay of supply air velocities.




Multiple Variations


Standard Lay In




15 / 8 Tegralar




15 / 16 Tegralar




Special Configuration





ADSW - 14 - L - 595 x 595



ADSW - 24 - L - 595 x 595

How to Order

Type	No of Blades	Edge Detail	Tegular Depth	Size	Overall Size	RAL Colour
ADSW	24	L - Lay-In Grid T15 - Tegular 584 x 584 T24 - Tegular 574 x 574 M - Clip-In Metal Tile C - Circular	e.g. 8mm		595 x 595 599 x 599	e.g. RAL 9010

Performance Data - ADSW - 24 - L - 595 x 595

Air Volume	75	90	100	110	120	130	140	150	160	170	180	190	200
Throw vt 0.25m/s	1.1	1.3	1.4	1.5	1.7	1.8	2	2.1	2.2	2.4	2.5	2.7	2.8
Pressure Drop Pa	5	7	9	10	12	15	17	19	22	25	28	31	34
Noise Level NC	<15	<15	17	20	22	25	27	29	30	32	34	35	37

Performance Data - ADSW - 14 - L - 595 x 595

Air Volume	40	45	50	55	60	70	80	90	100	110	120	130	140
Throw vt 0.25m/s	0.7	0.8	0.9	1	1.1	1.3	1.5	1.7	1.9	2.1	2.2	2.4	2.6
Pressure Drop Pa	4	5	7	8	10	13	17	22	27	33	39	45	53
Noise Level NC	<15	<15	<15	<15	<15	17	21	24	27	30	32	35	37

Sales Office on 01707 386126 for selection advice

January 2019